

FIG. 1




FIG. 2

BIT NO.	DIS/DTC	DCS
X	PRESENCE / ABSENCE OF BOTH-SIDE RECORDING FUNCTION (ALTERNATE MODE)	BOTH-SIDE TRANSMISSION (ALTERNATE MODE)
X+1	PRESENCE / ABSENCE OF BOTH-SIDE RECORDING FUNCTION (CONTINUOUS MODE)	BOTH-SIDE TRANSMISSION (CONTINUOUS MODE)

FIG. 3

POST-MESSAGE SIG

FLAG	ADDRESS	CONTROL	FCF	PC	BC	FC	LENGTH	PAGE NUMBER	PAGE INFORMATION	FCS	FLAG
------	---------	---------	-----	----	----	----	--------	-------------	------------------	-----	------

ONLY IN ECM


FIG. 4


FIG. 5


FIG. 6


FIG. 7


FIG. 8

FIG. 9A




FIG. 9B




FIG. 10




FIG. 11





FIG. 12


FIG. 13

FIG. 14

SHEET NUMBER	FRONT	REVERSE
1 (BOTH-SIDE ORIGINAL SHEET)	PN=1	PN=2
2 (FRONT SIDE ORIGINAL SHEET)	NO NOTICE OF PAGE NUMBER	
3 (BOTH-SIDE ORIGINAL SHEET)	PN=1	PN=2


FIG. 15

FIG. 16

SHEET NUMBER	FRONT	REVERSE
1 (BOTH-SIDE ORIGINAL SHEET)	PN=1	PN=2
2 (FRONT SIDE ORIGINAL SHEET)	PN=3	
3 (BOTH-SIDE ORIGINAL SHEET)	PN=5	PN=6

Copyright © 2004 by Intel Corporation

FIG. 17




FIG. 18